

April 29, 2020

Chief, Environmental Enforcement Section Environment and Natural Resources Division U.S. Department of Justice 601 D Street NW Washington, D.C. 20004 Re: DOJ No. 90-5-1-1-10157

Chief NPDES Enforcement Branch (3WP42) Water Protection Division U.S. Environmental Protection Agency, Region 3 1650 Arch Street Philadelphia, PA 19103-2029 Pamela J. Lazos Senior Assistant Regional Counsel Office of Regional Counsel (3RC20) U.S. Environmental Protection Agency, Region 3 1650 Arch Street Philadelphia, PA 19103-2029

Program Manager – Clean Water Program Department of Environmental Protection South Central Regional Office 909 Elmerton Avenue Harrisburg, PA 17110-8200

RE: Civil Action No. 1:15-cv-00291-WWC: Sinkhole Remediation – Notification of Completion

To Plaintiffs, Civil Action No. 1:15-cv-00291-WWC:

This letter is a formal notification for Capital Region Water's completion of the Sinkhole Remediation as outlined under Paragraph V(G)(31)(b) of the partial Consent Decree lodged February 10, 2015:

b. <u>Sinkhole Repair.</u> CRW shall investigate all sinkholes reported as of the Date of Lodging of this Consent Decree and shall remediate those sinkholes caused by the structural deterioration of the Collection or Conveyance System, including laterals, within three (3) years of the Date of Lodging. CRW shall: (1) provide Plaintiffs a list of all sinkholes reported as of the Date of Lodging, (2) conduct an investigation of each such sinkhole to identify those sinkholes caused by the structural deterioration of the Collection or Conveyance Systems, including laterals, (3) determine the remediation work necessary to repair those sinkholes and their underlying causes, and (4) define a schedule under which all remediation work will be completed within three (3) years of the Date of Lodging.

In a letter report, dated February 9, 2017, CRW summarizes the fulfillment of the Sinkhole Remediation of the one-hundred sixteen (116) sinkholes at the date of lodging. At the time, CRW reported that a remaining four (4) sinkholes had been stabilized and sewer mains had been identified for future trenchless pipe lining projects.

As directed by EPA in a letter dated April 5, 2018, CRW continued to report on compliance with this requirement of the PCD in our Annual NMC Updates and Semi-Annual Reports. We reported on the

Capital Region Water | Administrative Offices 212 Locust Street, Suite 500, Harrisburg, PA 17101 | 888-510-0606 capitalregionwater.com



RE: Civil Action No. 1:15-cv-00291-WWC: Sinkhole Remediation – Notification of Completion April 29, 2020 Page 2 of 2

outstanding sinkhole work in the 2018 NMC Update/Semi-Annual Report (8/10/2018 and 9/30/2018). In the 2019 NMC Update (8/10/2019), the language was redlined, and we marked the activity complete. Please see the table below for the detailed report on the four (4) sinkholes fully remediated with the completion of the trenchless lining projects in late spring of 2019.

Assgrift	Status	Location	GRUSE	Compication Page	Work Order
SH-000009	Repaired	646 Buttonwood St.	Sewer – SSP- 004814	5/9/2019	WO5934, Repair Sewer Pipe, finished date 05/09/2019, 176' of CIPP.
SH-000025	Repaired	1525 Sycamore St.	Sewer - SSP- 000821	5/9/2019	WO7969, Repair Sewer Pipe, finished date 05/09/2019, 192' of CIPP.
SH-000054	Repaired	1414 Sycamore St.	Sewer – SSP- 004020	4/30/2019	WO11938, Repair Sewer Pipe, finished date 04/30/2019, 384' of CIPP.
SH-000084	Repaired	2939 Croyden Rd.	Sewer – SSP- 001758	4/23/2019	WO8247, Repair Sewer Pipe, finished date 04/23/2019, spot liner noted.

Furthermore, Capital Region Water continues to investigate and repair sinkholes as they appear and has developed a comprehensive sinkhole investigation and maintenance process. The comprehensive sinkhole process is documented in a standard operating procedure (SOP), as well as the Operations and Maintenance Manual, Wastewater Division, Section (4)(9). The SOP includes mechanisms of internal communications, investigation procedures, determination, documentation, oversight of the computerized maintenance management system (CMMS), reporting, and effective criteria.

Please contact me directly to discuss any question or concerns you may have.

Sincerely yours,

Claire Maulhardt, P.L.A.

Chin Mallant

City Beautiful H<sub>2</sub>O Program Manager

cc: Charlotte Katzenmoyer, CEO, CRW

Dave Stewart, P.E., BCEE, CRW

Fredric Andes, Esq.

John Aldrich, P.E., D.WRE, CDM Smith